



Town of Indian Trail
Engineering Department

ADDENDUM NUMBER 02

2012 Resurfacing Contract
Project No. 505-2012-001

Addendum Issue Date: November 10, 2011

Purpose: The purpose of this Addendum is to make changes, additions, deletions, revisions and clarifications to the bidding documents dated November 9, 2011 for the project referenced above. Bidders shall review the Addendum work and requirements in detail and incorporate any effects the Addendum may have in their bid price.

Acknowledgement: Bidders must acknowledge receipt of any and all Addenda in the space provided on the Bid Form. Failure to do so may result in rejection of the Bid. All requirements of the bidding documents remain unchanged except as cited herein.

PROJECT MANUAL CHANGES:

<u>Section / Page / Title</u>	<u>Description</u>
III/12/Itemized Bid Form	Disregard "8-inch min. depth" under Section No. 654 "Full Depth Pavement Repairs", refer to pg 46 Section VI "Specifications"; sub-article 6.4 "Full Depth Street Repairs"
VII/55/Asphalt Curing Seal	Replace "0.02 square yards" with "0.2 square yards" under SP7 – Asphalt Curing Seal, Subsection "Measurement".

ATTACHMENTS:

The following documents are attached hereto and are incorporated as part of this Addendum:

1. **Attachment #1** is the revised **Itemized Bid Form**.
2. **Attachment #2** is the revised **SP7 – Asphalt Curing Seal on page 55**

END OF ADDENDUM NO. 2

Plan Holder of Record: _____

Received by: _____
Name Title Date



TOWN OF INDIAN TRAIL
2012 RESURFACING CONTRACT

 Contractor's Name

Sect. No.	Item Description	Quantity	Unit	Unit Price	Amount
SP1	Mobilization (not to exceed 3% of the total contract)	1	LS		
SP2	Grading	1	LS		
225	Undercut Excavation	2300	CY		
270	Filter Fabric for Drainage	3500	SY		
610	Asphalt Concrete Surface Course, S 9.5 B, Up To 2" Thick	3770	TN		
620	Asphalt Binder for Plant Mix, Grade PG 64-22	230	TN		
SP3	Full Depth Recycling, 10-inch depth	23900	SY		
SP3	Cement	600	TN		
545	Incidental Stone Base (Measured in Place)	500	TN		
654	Full Depth Pavement Repairs	700	SY		
660	Asphalt Surface Treatment, Mat Coat (78M Stone)	6100	SY		
SP4	2' - 0" Concrete Valley Curb (Remove/Replace)	700	LF		
SP5	Curb Seals	100	EA		
SP6	Milling Asphalt Pavement (0" to 3" depth)	6100	SY		
SP7	Asphalt Curing Seal	23900	SY		
SP8	Blotting Sand (10 LB/SY)	120	TN		
SP9	Traffic Control	1	LS		
		Subtotal			
		Contingency (5%)			
		Total			

7.6 SP6 – MILLING ASPHALT PAVEMENT

Description: The work covered by this special provision shall be in accordance with Section 607 “Milling Asphalt Pavement” of the Standard Specifications.

Equipment: Machine shall be a self-propelled unit capable of milling depths up to six (6) inches.

Construction Requirements: To minimize exposure of the milled pavement, only a maximum of 2500 square yards of roadway surface shall be milled per asphalt overlay. If asphalt overlay does not occur within a 24 hours of the finished milling process than the Contractor will not hold the Town liable for any damage done to the milled surface. Any repair work that is deemed necessary by the Engineer will be remedy by the Contractor at no cost to the Town.

Measurement: The quantity of milling will be the number of square yards measured in place along the existing pavement surface that has been completed and accepted.

Payment: The quantity of milling to be paid for will be the number of square yards measured in place. There will be no payment for “Incidental Milling”.

Payment will be made under:

MILLING ASPHALT PAVEMENT.....SY

7.7 SP7 – ASPHALT CURING SEAL

Description: The work covered by this special provision shall be in accordance with Section 543 “Asphalt Curing Seal” of the Standard Specifications.

Measurement: The quantity of asphalt curing seal shall be measured at the contract unit price per gallon. Seal material placed on the stabilized layer or base in excess of the authorized rate plus 0.2 gallon per square yard will not be measured for payment. Measurement will not be made of any curing seal used to replace curing seal lost by heavy rains which occur after placing the curing seal.

Payment: The quantity of asphalt curing seal shall be paid for at the contract unit price per gallon that has been placed on the stabilized layer or base.

Payment will be made under:

ASPHALT CURING SEAL.....GAL

7.8 SP8 – BLOTTING SAND

Description: The work covered by this special provision shall be in accordance with Section 818 “Blotting Sand” of the Standard Specifications.

Measurement: The quantity of blotting sand will be measured by suitable means agreed upon between the Contractor and the Town. No deduction will be made of any moisture that might add weight to the quantity.

Payment: The quantity of blotting sand shall be paid for at the contract unit price per ton that has been measured by suitable means agreed upon between the Contractor and the Town.

Payment will be made under:

BLOTTING SANDTON